

Ek-2/g Kara Salyangozu (*Helix aspersa maxima*) Yetiştiriciliği Su Kalite Kriterleri

<i>Parametre</i>	<i>Birim</i>	<i>Yetiştiricilik Su Kalite Kriterleri</i>
Sıcaklık	(°C)	>3
Tuzluluk	(‰)	0
Çözünmüş Oksijen	mg/Litre	15-26
pH		6-8
Serbest CO2	mg/Litre	0,1-12
Amonyak (NH3)	mg/Litre	0.01-0.02
Amonyum (NH4)	mg/Litre	0,05-1
Nitrit (NO ₂ -) Azotu	mg/Litre	0,05-1
Nitrat (NO ₃ -) Azotu	mg/Litre	0.03-1
Fosfat	mg/Litre	1-3
Silikat	mg/Litre	1-3
Demir	mg/Litre	0.5-2
Kadmiyum	mg/Litre	<0.01
Kurşun	mg/Litre	<0.1
Krom	mg/Litre	<0.1
Arsenik	mg/Litre	0.1-2
Bakır	mg/Litre	0.025-0.5
Çinko	mg/Litre	0.03-0.2
PESTİSİTLER		
DDT	mg/Litre	<0.025
Aldrin	mg/Litre	<0.004
Dieldrin	mg/Litre	<0.003
2.4 DEP	mg/Litre	<0.01
BHC	mg/Litre	<0.04
Endrin	mg/Litre	<0.08
Heptaklor	mg/Litre	<0.04
Pentaklorofenol	mg/Litre	<0.02